



KANEBRIDGE CORPORATION

TAP BOLTS


Low Carbon | Grade-5 | Grade-8

18-8 Stainless | Din 933 Class 8.8 | Din 933 Class 10.9


OVER
800
AVAILABLE




INCH



18-8 Stainless Steel



Grade-5



Grade-8




Low Carbon

METRIC



DIN 933 Class 8.8
Full Thread - Steel Zinc



DIN 933 Class 10.9
Full Thread - Steel Plain

TAP BOLTS

Tap Bolts are used instead of traditional Hex Cap Screws when greater thread length is necessary and when using a stud and nut would be impractical. Among the applications that require Tap Bolts are automotive and truck repair; mounting of motors to machinery; applications that require finer adjustments such as pulley and belt combinations; construction and agriculture. Choose a bolt that allows for a minimum of two full threads to extend beyond the nut when tightening is completed.

Kanebridge's product selection in Tap Bolts is the largest offered by any distributor in the industry.

Size Ranges

INCH

- ¼-20 thru 1" diameters
- Lengths thru 15 inches
- Low Carbon: 185 sizes
- Grade-5: 236 sizes
- Grade-8: 265 items (includes zinc yellow & Plain finish)
- 18-8 Stainless: 35 sizes

METRIC

- M4 thru M24 diameters
- Lengths thru 90 mm.
- Class 8.8: 68 sizes
- Class 10.9: 24 sizes

Complete Manufacturer Certifications Available for all Metric Tap Bolts, as well as all Grade-5 and Grade-8 Tap Bolts.

OVER 800 FULLY THREADED TAP BOLTS

SAME-DAY SHIPPING!



**KANEBRIDGE
CORPORATION**
New Jersey | Illinois | California

(800) 222-9921 (201) 337-2301

sales@kanebridge.com www.kanebridge.com