

# ELECTRONIC HARDWARE



KANEBRIDGE  
CORPORATION






## SPACERS

- Aluminum
- Brass with Nickel Plating
- Nylon
- Stainless Steel



## STANDOFFS

- Aluminum
- Brass with Nickel Plating
- Nylon
- Stainless Steel
- Steel with RoHS Zinc Finish



## JACK SCREWS

- 3/16" Hex, 4-40 Thread
- Stainless Steel
- Steel Zinc
- Steel Zinc Yellow



## SELF-CLINCHING FASTENERS

### Nuts

- Steel Zinc
- Steel Black Oxide
- Stainless Steel

### Flush Head Studs

- Steel Zinc
- Steel Zinc Yellow
- Steel Black Oxide
- Stainless Steel

### Broaching-Type Studs

- Phosphor Bronze, Tin Plate



## CABLE CLAMPS

- Nylon
- Standard & Heavy Duty

## PANEL FASTENERS

- Flare-In & Press-In Styles
- Natural & Black Finishes

# HOW THESE ITEMS ARE USED



## **SPACERS & STANDOFFS**

Serve multiple purposes including:

- Provides sufficient spacing between stacked components to guard against overheating.
- Position materials or panels at precise distances from each other. These can include circuit boards, panels, gears or doors.



## **JACK SCREWS**

Mounts D-subminiature connectors to a metal panel, such as the housing of a personal computer tower.



## **SELF-CLINCHING STANDOFFS**

Allows for the layering and/or spacing of multiple components.



## **CLINCH NUTS & STUDS**

Enable components to be fastened to relatively thin metal panels without requiring access to the “blind” side of fastening. When properly installed, the self-clinching fastener provides load-bearing threads, is reusable and holds its position even after absorbing measured torque loads.



## **CABLE CLAMPS**

Offer a means to permanently attach cables/wires to electronic enclosures without requiring threaded fasteners or glues.



## **PANEL FASTENERS**

Can be used in a wide range of circuit boards, control panels, access ports and removable units. Their primary purpose is to mount panels, doors and other hardware components in areas with limited access. The spring-loaded design helps prevent lost hardware and damage created by dropping fasteners into operating equipment. Fasteners can be tightened or loosened with either screwdrivers or finger pressure.



Spacers & Standoffs



Self-Clinching Nuts & Studs



Jack Screws



Panel Fasteners



**KANEBRIDGE  
CORPORATION**

Illinois | California

T: (800) 222-9221    [sales@kanebridge.com](mailto:sales@kanebridge.com)

F: (201) 337-2301    [www.kanebridge.com](http://www.kanebridge.com)